Conforms to OSHA HazCom 2012 Standard

Section 1 - Identification

Product Identifier	STRIP N GO No Rinse Stripper
Recommended use	Floor finish remover.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplier / D	istributor Information
Company Name	Knight Marketing Corporation
Address	46-50 54th Ave. Maspeth, NY 11378
Telephone	
Supplier Email	
Contact	
Emergency Phone	1 (718)786-8787

Not Classified.

Danger

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Acute toxicity, dermal	4	
	Acute toxicity, inhalation	4	
	Acute toxicity, oral	4	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: respiratory tract

or if inhaled. May cause respiratory irritation.

irritation

OSHA defined hazards Label Elements Hazard Symbol

> Signal Word Hazard statement

Precautionary statement Prevention

Response

Storage Disposal

....

Hazard(s) not otherwise classified (HNOC)

Section 3 - Composition/Information on ingredients

CAS #	%
141-43-5	5 - 10
111-76-2	25 - 45
	141-43-5

to do. Continue rinsina.

regulations.

Not classified.

Causes severe skin burns and eye damage. Harmful if swallowed, in contact with skin

Do not breathe mist or vapor. Use only in well-ventilated areas. Wear protective

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. Wash

product. Wash thoroughly after handling. Keep out of reach of children.

Store locked up. Store in a well-ventilated place. Keep cool.

gloves/clothing and eve/face protection. Do not eat, drink or smoke when using this

contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

Dispose of contents/container in accordance with local/regional/national/international

SAFETY DATA SHEET Conforms to OSHA HazCom 2012 Standard

Section 4 - First-aid Measures

Jection 4 - Lust-ain Measnies	
Inhalation	Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.
Skin contact	Remove contaminated clothing and shoes. Immediately flush skin with plenty of water. Get prompt medical attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.
Most Important symptoms /effects, acute and delayed	Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be delayed.
Indication of immediate medical attention and special treatment	Treat symptomatically.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.
Section 5 - Fire-fighting measures	
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical	Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog. Do not use water jet as an extinguisher, as this will spread the fire. None known.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instruction	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.
Section 6 - Accidental release measur	es
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Section 7 - Handling and storage	
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep container closed. Keep out of reach of children.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

		OTDID NLOO NIE Diese Obieses
2-Rutovyathanol (CAS 111-76-2)	Τ\Λ/Δ	20 nnm
Component	Туре	Value
US. ACGIH Threshold Limit Values		
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m³ , 50 ppm
2-Amino Ethanol (CAS 141-43-5)	TWA	6 mg/m³ , 3 ppm
Components	Туре	Value

Conforms to OSHA HazCom 2012 Standard

	•••••••••	••••••				
2-Amino Ethanol (CAS 141	-43-5)		STEL	6 ppm		
2-Amino Ethanol (CAS 141	-43-5)		TWA	3 ppm		
US. NIOSH: Pocket Guide to	Chemical Haza	rds				
Components			Туре	Value		
2-Amino Ethanol (CAS 141	-43-5)		STEL	15 mg/m³, 6 ppm		
2-Amino Ethanol (CAS 141	-43-5)		TWA	8 mg/m³ , 3 ppm		
2-Butoxyethanol (CAS 111-	76-2)		TWA	24 mg/m³, 5 ppm		
US. ACGIH. BEIs. Biologica	I Exposure Indi	ces				
Component		Value		Determinate	Specimen	Sampling
2-Butoxyethanol (CAS 111-	76-2)	200 mg	g/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
* - For sampling details, p	lease see the so	ource doc	ument.			
Exposure guidelines	Use persona	I protective	equipi	ment as required. Keep	working clothes separ	ately.
US. California Code of Regu	lations, Title 8,	Section 5	155. Ai	rborne Contaminants	;	
Components			Expos	sure		
2-Butoxyethanol (CAS 111-	76-2)		Can b	e absorbed though the	skin.	
US.Minnesota Hazardous S	ubstances List (Minn. Rul	es 5206	6.0400).		
Components			Expos	sure		
2-Butoxyethanol (CAS 111-	76-2)		Skin d	designation applies.		
US.NIOSH: Pocket Guide to	Chemical Haza	rds				
Component			Expos	sure		
2-Butoxyethanol (CAS 111	76-2)		Can b	e absorbed though the	skin.	
US.OSHA Table Z-1 Limits f	-	ants (29 C	FR 191	0.100)		
Components		-	Expos	sure		
2-Butoxyethanol (CAS 111-	76-2)		Can b	e absorbed though the	skin.	
US.OSHA Table Z-1-A (29 C	FR 1910.100)			-		
Components			Expos	sure		
2-Butoxyethanol (CAS 111-	76-2)		Can b	e absorbed though the	skin.	
US.Tennesee. OELs Occup	ational Exposur	e Limits, ⁻	Table Z	1A		
Components			Expos	sure		
2-Butoxyethanol (CAS 111-	76-2)		Can b	e absorbed though the	skin.	
Appropriate engineering controls				st ventilation to maintain access to water supply		
Individual protection measures, s	uch as personal	protective	e equip	ment	-	
Eye/face protection				ty goggles. Provide an e immediate work area		ountain
Skin protection	and quick an		or in the			
Hand protection	Wear chemic	cal-resistar	nt. impe	ervious gloves. Suitable	gloves can be recomn	nended by
····· • • • • • • • • • • • • • • • • •	the glove su				g	
Other	Not available	Э.				
Respiratory protection	exposure lim exposure lim the United S	its (where its have no tates of An	applica ot been nerica, i	maintain airborne conce ble) or to an acceptable established), an appro if respirators are used, 29 CFR 1910.134.	e level (in countries wh ved respirator must be	ere worn. In
Thermal hazards				ective clothing, when n	ecessarv.	
General hygiene considerations			•	od industrial hygiene ar	•	
ection 9 - Physical and chemical p						
Appearance	Clear.					
Physical state	Liquid.					
Form	Liquid.					
	-					
		ć				
Color Odor Odor threshold	Pale Straw. Sassafras. Not available	9.				

Conforms to OSHA HazCom 2012 Standard

рН	11.7
Melting point/freezing point	Not available.
Initial boiling point and boiling	212 °F (100 °C)
range	
Flash point	>201°F (94°C) TCC
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	ive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	0.97 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	100 % Soluble.
Partition Coefficient n-	Not available
octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.89 °C)
	• •

Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactio	Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from heat and direct sunlight. Contact with incompatible materials.
Incompatible materials	Oxidizing agents.
Hazardous Decomposition Pro	Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Section 11 - Toxicological information

Information on likely routes of expos	ure				
Ingestion	May cause burns of the gastrointestinal tract if swallowed.				
Inhalation	Irritating to respiratory system. May cause burns in mucous membranes, throat, esophagus and stomach.				
Skin contact	Causes skin burns.	Causes skin burns.			
Eye contact	Causes serious eye d	amage.			
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye delayed.	burns. May cau	se respirator	y tract irritation.	Symptoms may be
Information on toxicological effects.					
Acute toxicity	Harmful if inhaled, ab	sorbed through	skin, or swa	llowed.	
Components	Level	Туре	Code	Species	Results
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Rat	560 mg/kg
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Skin corrosion/irritation	Causes skin burns.				
Serious eye damage/ eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity	Causes serious eye d Not classified. Not classified. Not classified.	amage.			

Conforms to OSHA HazCom 2012 Standard

IARC Monographs. Overall Evaluation	on of Carcinogenicity	
Component	Result	Comment
2-Butoxyethanol (CAS 111-76-2)	3	Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Irritating to respiratory system.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Chronic effects	repeated and prolonged. These eff	I through the skin in toxic amounts if contact is ects have not been observed in humans. ay cause liver and kidney damage. These effects s.
ection 12 - Ecological Information		
Ecotoxicity		vironmentally hazardous. However, this does not frequent spills can have a harmful or damaging
Persistence and degradability	The product is expected to be biod	egradable.
Bioaccumulative potential	Not known.	
Partition coeficient n-octa	nol / water log (Kow)	
Components	Resu	lts
2-Butoxyethanol (CAS 11	1-76-2) 0.83	
2-Amino Ethanol (CAS 14	-1.31	
Mobility in soil	Not available.	
Mobility in general	The product is water soluble and may spread in water systems.	
Other adverse effects	None known.	
ction 13 - Disposal considerations		
Disposal instructions	Dispose in accordance with application	able federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.	
Hazardous waste code	Waste codes should be assigned l product was used.	by the user based on the application for which the
Waste from residues / unused products	Dispose in accordance with all app	licable regulations.
Contaminated packaging	Since emptied containers may reta container is emptied.	in product residue, follow label warnings even after
ction 14 - Transport information		
DOT	Not regulated as dangerous goods	
ΙΑΤΑ	Not regulated as dangerous goods	
IMDG	Not regulated as dangerous goods	
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not inter	ded to be transported in bulk.
ction 15 - Regulatory Information		
US federal regulations	This product is a "Hazardous Cher Communication Standard, 29 CFR	nical" as defined by the OSHA Hazard 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)	Not regulated.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-	Not on regulatory list.	
CERCLA Hazardous Substance	Components	Result
List (40 CFR 302.4	2-Butoxyethanol (CAS 111-76-2)	LISTED

Conforms to OSHA HazCom 2012 Standard

-		rization Act of 1986 (SARA)		
Hazard	Immediate Hazard	Yes		
Categories	Delayed Hazard	No		
	Fire Hazard	No		
	Pressure Hazard	No		
	Reactivity Hazard	No		
SARA 302 Ex substance	tremely hazardous	No		
SARA 311/31 chemical	2 Hazardous	Yes		
SARA 313 (T	RI reporting)			
	hemical name	CAS #	% by wt.	
2-	Butoxyethanol	111-76-2	25 - 45	
Other federal re	egulations			
Clean Air A	Act (CAA) Section	Not regulated.		
Clean Air A	Act (CAA) Section	Not regulated.		
112(r) Acci	dental Release (40 CFR 68.130)	·		
Safe Drink	ing Water Act (SDWA)	Not regulated.		
	Drug Administration	Not regulated.		
US state reg	ulations			
	chusetts RTK -	Components		
Substance	Substance List 2-Butoxyethanol (CAS 111-76-2)			
		2-Amino Ethanol (CAS 141-43-5)		
LIS New Je	ersey Worker and	Components		
		2-Butoxyethanol (CAS 111-76-2)		
•••••••	,	2-Amino Ethanol (CAS 141-43-5)		
LIS Pennsy	Ivania RTK -	Components		
	Substances	2-Butoxyethanol (CAS 111-76-2)		
		2-Amino Ethanol (CAS 141-43-5)		
US Phode	Island RTK	Components		
05.Kiloue		2-Butoxyethanol (CAS 111-76-2)		
		2-Amino Ethanol (CAS 141-43-5)		
US - Califo	rnia Propsition 65	California Safe Drinking Water and Toxic Enfo	reamont Act of 1086	
03 - Califo	rina Propsition 05	(Proposition 65): This material is not known to currently listed as carcinogens or reproductive	contain any chemicals	
International In	ventories			
Country(s) or	r Inventory Name			On Inventory
region				(yes/no)*
Australia	Australian Inven	ory of Chemical Substances (AICS)		Yes
Canada	Domestic Subst	inces List (DSL)		Yes
Canada	Non-Domestic S	ubstances List (NDSL)		No
China		ting Chemical Substances in China (IECSC)		Yes
Europe		ory of Existing Commercial Chemical Subst	ances (EINECS)	Yes
Europe		Notifed Chemical Substances (ELINCS)		No
Japan	-	ting and New Chemical Substances (ENCS)		No
Korea	Existing Chemic			Yes
New Zealand				Yes
Philippines		ory of Chemicals and Chemical Substances	i	Yes
Unites States Puerto Rico	s Toxic Substance	s Control Act (TSCA) Inventory		Yes

Conforms to OSHA HazCom 2012 Standard

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). *A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date
Version #
Disclaimer

1/18/2015

01

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.